



BELCO MOWER SERIES

LIM350 - 3.5T ATM Industrial Mower Trailer

Description

Built for councils, contractors, and parks crews who shift ride-on mowers every day. The LIM350 is rated to 3.5T ATM with a hot dip galvanised chassis, full-width spring-assisted ramps, and a manual tilt drawbar — engineered for high-frequency loading without the wrestling match. Clean deck, integrated storage, no wasted componentry.

A purpose-built workhorse for Australian conditions.

Key Features

- Suits articulated or zero turn mowers and related equipment
- Tilt Drawbar with cam locks to adjust load angle
- Access handrails and step
- Spring assisted alloy mesh ramps with lifting handles
- Rear stabiliser legs
- Heavy-duty hot dip galvanized chassis with 3.5T ATM capacity
- Rock roller suspension. 4-ton rated springs for smooth transport
- Toolbox for onboard storage
- Twin 13 mm safety chains, 10" Swing Away Jockey Wheel and full side steps
- 8x rated Tie Downs
- ADR compliant for Australian road use

** Pictures shown may include our Safety Package Upgrade*



Safety Features

Operator safety is designed in. Three points of contact via integrated handrail and step access. Spring-assisted full-width alloy mesh ramps keep loading angles low and predictable. Rear stabiliser legs eliminate trailer rebound during loading. The checker plate deck provides positive grip underfoot, and 8 rated tie-down points secure machinery against shift, roll, and bounce in transit.



Integrated handrail and step access

Operational Benefits

Designed around the productivity of the crew, not the patience of the operator. The tilt drawbar drops the loading angle for low-clearance ZTRs and out-front rotaries, cutting setup time at every stop. Onboard storage keeps straps, chocks, and tools at hand — no return trips to the ute. Galvanised throughout for minimal maintenance and a long service life in coastal and high-UV Queensland conditions.



4.3m × 2.0m open deck for ride-on mowers up to 3.5T ATM

Design Considerations

The LIM350 sits in the Belco Industrial Series — engineered for the operators who can't afford a trailer that lets them down. Whether you're running a single unit on a remote site or a fleet across multiple depots, every LIM350 is built to the same specification: heavy-duty galvanised construction, standardised componentry, and full support from our Brendale facility. Designed by Belco. Built in Australia. Industry-leading 7-year structural warranty, backed by 40 years of Australian trailer manufacturing.



Manual tilt drawbar with cam locks



Specifications - 3.5T ATM Tandem Axle Light Industrial Mower Trailer

DIMENSIONS

Design Standard	AS3990
Weld Standard	AS1554-Part 1 (SP)
Deck Length	~4,300 MM
Deck Width	~2,000 MM
Weight (Tare)	~1,320 KG

CAPACITY

Maximum Payload	*2,180KG
ATM	3,500 KG
GTM	~3,400 KG
Tyre Size	195/14
Tyre Pressures	450 kPa
Brakes	10" Parallel Electric Brakes

*impacted by options taken that change TARE weight

CONSTRUCTION

Chassis	125 PFC Structural Channel
Drawbar	125 PFC Structural Channel
Cross Members	50x50x3mm & 100x50x3mm RHS
Sides	Open Deck
Ramps	Alloy Mesh - Spring Assisted
Floor	2.1mm Steel Checker Plate
Rear Legs	2 x Drop legs

RUNNING GEAR

Suspension	Rock Roller Load Share
Axles	50mm Sq Parallel Bearing (3.6T)
Springs	4T - 9 Leaf
Rims	14" White Steel Ford 5 Stud
Tyres	195/14 Light Truck
Wheel Nut Indicators	Optional Upgrade

GENERAL

Lighting	Multi Volt LED/Marker Lights
Coupling	50mm Ball Electric Hitch
Safety Chains	13mm Rated on Belco Berg lock
Trailer Plug	7 Pin Flat
Spare Wheel	Stand Up on the Drawbar
Mudguards	2.1mm Checker Plate
Wheel Chocks	Optional Upgrade
Handbrake	Mechanical Override
Break Away	Battery Equipped
Jockey Wheel	8" Swing Away

OPERATIONAL

Attachments	Alloy Toolbox
Tie Downs	8 Rated Tie Downs

WARRANTY

7 Year Structural – Comprehensive coverage on the chassis and drawbar for total peace of mind.

2 Year Body – Coverage for Belco-manufactured body components like ramps, gates, walls, and frames.

1 Year 3rd Party Components – Manufacturers warranty, with Belco's support through the claim process.

Return-to-Base Support – Fast, efficient warranty service at Belco's Brisbane facility.

Designed for Work – Warranty applies equally to private and commercial use.

